

GLISS MASTER — VINCENT VAN DUYSEN 2015

1—
71



Gliss Master develops the concept of storage and space organisation. This approach permits maximum uniqueness and customisation. It is a tailor-made design for a wide range of doors, accessories and finishes, which creates systems adapted to individual needs. The Gliss Master range can be combined with accessories and different finishes, drawing on the components of each series to create exclusive solutions. The 2023 collection includes two new doors - Linear by Vincent Van Duysen and Blend by Rodolfo Dordoni, and a new set of accessories and interior customisations. It is a system that reflects the importance of a tailor-made approach for Molteni&C.

DATASHEET

REGISTERED
DESIGN

2026

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

FINISHES

Finishes	melamine piqué structure	fine melamine grain	melamine front	matt lacquer colours	3D matt lacquer colours	lunar	glossy lacquer colours	woods	pewter colour/ bronze/ iris	Eco Skin	BLEND fabric	coloured glass/ etched coloured glass/ mirror	glasses (see finishes)	3D etched bronze glass	MDi by Inalco
components															

linear module and corner module	base/lid	●													
	back panel	●	●	●	●				●		●		●	●	only linear
wooden central partition		●													
wooden external side panel		●		●			●	●							
extension profile				●			●	●	●		●				
central partition or side panel frame or glass	frame glass												●	central only transparent	
FIND-ME door	finger recess		●				●				●				
	panel			●	●	●	●	●	●						
QUICK door *		● *													
START door		●	●	●			●	●							
“A FILO” door		●	●	●			●	●							
“A FILO” glass door	profile glass									●			●		
BAMBOO door	profile									●			●		
	panel										●				
SMOOTH door	profile									●			●		
	panel										●		●		
HOLLOW door		●				●	●								
BLADE sliding door			●			●	●								
GRIP door		●				●	●								
NICHE door						●	●			only vertical					
GLASS door	profile glass									●			●		
SISTEMA 7 wood			●			●	●								
SISTEMA 7 glass	profile glass									●			●		
LINEAR door			●	●	●										
LINEAR glass door	profile glass									●				excluding net	●
BLEND door	door profiles			●				●							
	door panel			●							●				
	drawer front		●					●					●	only mirror	
	top		●					●							
MERIDIAN door	frame and internal									●					
profiles										●	●				
	profilo esterno									●					
	decorativo												●		●
	inserto														

* with handle and extension profiles
side matched as per the table
(see p. 64 price list)

** see page 102 price list
for matching finishes

Molteni & C

2—
71

DATASHEET

REGISTERED
DESIGN

2026

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

FINISHES

Finishes

melamine structure	piqué	melamine structure	Eco Skin	fine grain	pewter colour/	transp. glass	grey saffiano	larix dark/ silver	matt lacquer	woods	BLEND fabric
pewter colour/	bronze/iris	pewter colour/	bronze/iris	bronze/iris	bronze/iris	profile	melamine	cebran/	colours		
bronze/iris	profile	bronze/iris	iris	profile	profile		light				

internal fittings

shelf	●		●	●				●	●	
wooden drawer fronts H 126/190/382	●	●			●			●	●	●
tray front (trouser holders/trinket trays)	●	●			●			●	●	●
front for open drawers /pull-out trays	●	●						●	●	
glass drawer fronts/ glass shelf	profile					●		●		
drawer internal							●			
central dividing panels	●		●					●	●	
sweater and shirt holder module	●									
SOFT LINE internal fittings				●						
island drawer unit							●	●		
drawer unit							●	●		
Island with glass top							●	●		

colours	Melamine structure	Matt lacquer	Woods	Eco Skin	Glasses	BLEND fabric	MDi by Inalco
YA silver cembran	3D matt lacquer	RC coffee oak	grey	transparent	bark brown	gray brown	
WW white	Glossy lacquer	RF graphite oak	mink	smoked	moss green		
YC sunrise chestnut	Coloured glass	RS sunrise oak	hemp	bronze	olive green		
QC light chestnut	Etched coloured glass	EU eucalyptus	ivory	stopsol transparent	vanilla		
QS dark chestnut	BC chalk white	BC chalk white	dark brown	stopsol silver	malachite		
QS dark chestnut	PE pearl	PE pearl	earth	stopsol bronze	hay		
QA ivory tatami	DN dune	DN dune	arctic	stopsol etched	moon		
OG grey tatami	PL platinum	PL platinum	taupe	stopsol net	storm		
	NE black	NE black			river rocks		
	AT anthracite	AT anthracite					
	SE mustard	SE mustard					
	SI silica	SI silica					
	DO dolomite grey	DO dolomite grey					
	AL clay	AL clay					
	MK moka	MK moka					
	CZ light blue grey	CZ light blue grey					
	SA sand	SA sand					
	RU ruby	RU ruby					
	PX pewter colour	PX pewter colour					
	RX copper	RX copper					
	TO dove grey	TO dove grey					
	PR petroleum blue	PR petroleum blue					
	BG burgundy	BG burgundy					
	LS london sky	LS london sky					
	SU stardust	SU stardust					
	ML moonlight	ML moonlight					
	SP spice	SP spice					
	PG pine green	PG pine green					
	AW almond white	AW almond white					
	CP cappuccino	CP cappuccino					
	IX iris	IX iris					
	FG forest green	FG forest green					
	DB dark blue gray	DB dark blue gray					
	OY oz yellow	OY oz yellow					

Molteni & C

3—
71

DATASHEET

REGISTERED
DESIGN

2026

TECHNICAL INFORMATION

STRUCTURE

BASE

Chipboard panel covered in melamine facing with adjustable feet for free-standing support.

LID, CENTRAL PANEL AND BACK

Chipboard panel covered in melamine facing. Central panels have adjustable feet for free-standing support.

FINE GRAIN BACK PANEL

Chipboard panel covered in co-extruded ABS-PMMA cylinder-etched sheet, painted in a specific Molteni finish.

WOOD BACK PANEL

Chipboard panel covered in wood veneer in Oak (Quercus) or Eucalyptus (Eucalyptus globulus).

BACK, LID, SIDE AND CENTRAL PANELS (GLASS)

Perimeter frame in painted extruded aluminium with 4 mm thick tempered glass. Available in different finishes.

SIDE PANEL (MELAMINE-FACED)

Chipboard panel covered in melamine facing. Adjustable feet for free-standing support.

SIDE PANEL (MATT LACQUERED COLOURS OR GLOSSY COLOURS)

Chipboard panel covered in melamine facing. Exterior painted in the "Molteni Range" colours. Adjustable feet for free-standing support.

SIDE PANEL (WOOD)

Chipboard panel covered in melamine facing on the inside, and Oak (Quercus) or Eucalyptus wood (Eucalyptus Globulus) veneer on the outside. Adjustable feet for free-standing support.

Molteni & C

4—

71

CENTRAL PANEL FRAME

Perimeter frame in painted extruded aluminium.

COVER PROFILES AND RUNNERS

Extruded aluminium covered in melamine paper or painted, with dust protection profiles.

SIDE PANEL EXTENSION PROFILES

Anodised extruded aluminium, painted in the "Molteni Range" colours or covered in Oak or Eucalyptus wood veneer.

DOORS

MELAMINE (QUICK - START - "A FILO" - HOLLOW - BLADE - GRIP)

Chipboard panel covered in melamine facing. Soft-close hinges and slide system. Handles in different materials and finishes.

MATT LACQUERED COLOURS, GLOSSY COLOURS OR GLAZE (FIND-ME - START - "A FILO" - HOLLOW - BLADE - GRIP - NICHE - BLEND - LINEAR - SISTEMA 7 WOOD)

Chipboard panel covered in wood veneer or melamine facing, painted in the "Molteni Range" colours. Soft-close hinges and slide system. Handles in different materials and finishes. For the BLEND model, the panel is profiled with painted extruded aluminium.

WOOD (FIND-ME - START - "A FILO" - HOLLOW - BLADE - GRIP - NICHE - SISTEMA 7)

Chipboard panel covered in Oak or Eucalyptus wood veneer. Handles in different materials and finishes.

HINGED GLASS DOOR ("A FILO")

Chipboard panel covered in melamine facing, with mirror or 4 mm thick glass applied, painted in the "Molteni Range" colours. Perimeter profile in anodised extruded aluminium. Soft-close hinges.

SLIDING GLASS DOOR ("A FILO")

Frame in anodised extruded aluminium with mirror or 4 mm thick glass applied, painted in the "Molteni Range" colours. Soft slide system.

GLASS FLUSH SLIDING DOOR ("A FILO")

Frame in anodised extruded aluminium with mirror or 4 mm thick glass applied, painted in the "Molteni Range" colours. Soft slide system.

GLASS / SISTEMA 7 GLASS DOORS

Extruded aluminium frame with 4 mm thick glass, available in various finishes. Hinges with 180° opening, for swing doors. Patented folding mechanism for SISTEMA 7.

LINEAR GLASS DOORS

Extruded aluminium frame with 4 mm thick glass, available in various finishes. Hinges with 94° opening.

SMOOTH DOORS

Chipboard panel covered in melamine facing. Interior and exterior Eco Skin finish.

SISTEMA 7 WOOD DOOR

Honeycomb panel painted in the "Molteni Range" colours or covered in Oak or Eucalyptus wood veneer.

Handle in painted extruded aluminium.

Hinges with 180° opening for swing doors.

Patented folding mechanism.

BAMBOO DOORS

Chipboard panel covered in melamine facing.

External finish, doors quilted externally in Eco Skin.

Perimeter profiles in painted extruded aluminium.

BLEND - SMOOTH FABRIC DOORS

Chipboard panel covered in melamine facing.

Interior and exterior fabric finish.

DATASHEET

REGISTERED
DESIGN

2026

TECHNICAL INFORMATION

INTERNAL ACCESSORIES

REMOVABLE SHIRT RACK BLOCK

Painted parts in phenolic veneer panel. Front tray made from chipboard panel covered in melamine facing. Bottom covered in eco leather.

DRAWER UNIT STRUCTURE FOR FRAME PANELS

Chipboard panel with melamine facing, painted in a specific Molteni finish.

INTERNAL SHELVES, DRAWER OR TRAY FRONT, MOVABLE TRAY BLOCK AND JUMPER AND SWEATER AND SHIRT RACK

Chipboard panel covered in melamine facing.

INTERNAL SHELVES WITH FRONT PROFILE

Chipboard panel covered in melamine facing, front profile in painted extruded aluminium.

INTERNAL SHELVES AND ISLAND TOPS IN ECO SKIN

Chipboard panel covered in melamine facing, front profile in painted extruded aluminium and upper cover in eco leather.

WOOD SHELVES

Chipboard panel covered in wood veneer in Oak (Quercus) or Eucalyptus (Eucalyptus globulus).

CLOTHES ROD

Tube in anodised aluminium. Rod support bracket in chromed plastic or Eco Skin version.

GLASS FRONT, GLASS SHELVES AND ISLAND TOP

Extruded or painted aluminium. Tempered glass th. 4 mm.

FINE GRAIN FRONT

Chipboard panel covered in co-extruded ABS-PMMA cylinder-etched sheet, painted in a specific Molteni finish. Perimeter profile in painted extruded aluminium.

WOOD FRONTS

Chipboard panel covered in wood veneer in Oak (Quercus) or Eucalyptus (Eucalyptus globulus).

INTERNAL DRAWER SIDES, TRAY, DRAWER DIVIDERS, AND LINEN TRAY

Chipboard panel covered in melamine facing.

INTERNAL DRAWER BOTTOM AND TRAY

Chipboard panel covered in melamine facing.

SHOE SHELF PROFILES AND TROUSER BARS

In anodised or painted extruded aluminium.

PULL-OUT MIRROR

Metal frame with 4 mm thick mirror.

HANDLES AND VARIOUS ACCESSORIES

Made with different materials and finishes.

WOOD BASE, TOP AND SHELVES (ISLAND WITH GLASS DOORS)


Chipboard panel covered in Oak or Eucalyptus wood veneer.

IONIZER


See technical data sheet enclosed with the product.

LAUNDRY BAG


100% removable ecru cotton fabric. Follow the washing instructions on the label.




- 1 Cover
- 2 Base unit
- 3 Central panel
- 4 Side panel
- 5 Extension profile
- 6 Back panel
- 7 Cover profile or bottom rail
- 8 Cover profile or top rail
- 9 Shelf th. 30
- 10 Clothes rod
- 11 Shoe shelf
- 12 Drawers
- 13 Trouser- trinket tray
- 14 Sweater and shirt rack module
- 15 Pull-out mirror
- 16 Pull-out shirt rack block



- 17 Glass side panel
- 18 Glass central panel
- 19 Frame central panel
- 20 Drawer unit structure
- 21 Glass back panel



DRAWER INTERIOR



MODULARITY

Modularity - Structure

The widths 492 - 656 - 820 - 984 - 1312 - 464 (term. element) mm (19 3/8" - 25 7/8" - 32 1/4" - 38 3/4" - 51 5/8" - 18 1/4") include the left side panel. The total width of the composition will include the final panel of th. 30 mm (1 1/8").


Heights:

tot. H 2343 (92 1/4"), door 2313 (91"), int. 2253 (87 3/4"), sliding or flush sl. door inter. 2163 (85 1/8")
tot. H 2439 (96"), door 2409 (94 7/8"), int. 2349 (92 1/2"), sliding or flush sl. door inter. 2259 (88 7/8")
tot. H 2631 (103 5/8"), door 2601 (102 3/8"), int. 2541 (100"), sliding or flush sl. door inter. 2451 (96 1/2")

tot. H 2919 (114 7/8"), door 2889 (113 3/8"), interior 2829 (111 3/8"), only hinged

Molteni & C

6—
71



DATASHEET

REGISTERED
DESIGN

2026

moltenigroup.com

Assembly instructions

For the assembling of a sliding and a flush sliding door wardrobe a minimum space of 6 cm (2 3/8") is required considering the minimum height of the compartment.

Assembly of the corner element (for wardrobe with doors) requires a minimum extra height of 6 cm (2 3/8").

Assembly of a wardrobe in an alcove requires a minimum extra side space of 4 cm (1 5/8"). This space can be reduced to 15 mm by using special hardware provided on request for the side compartment. Surcharge per compartment.

This hardware may only be applied if there are open compartments, hinged doors (excluding SISTEMA 7) and wooden side panels.

Assembly of a hinged wardrobe requires a minimum height clearance of 1.5 cm, which varies with:

- MERIDIAN doors → 3.5 cm
- SISTEMA 7 hinged doors → 5 cm
- LED lighting with 'Smart' vertical bars → 3.5 cm
- LED lighting with horizontal bars → 2.5 cm

The minimum height drops to 1.5 cm if the compartment housing the lighting components, is fitted with inspection on top cod. **PAISPC01** (see page 33).


Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

DOORS

START-HOLLOW

hinged doors


applicable only on structures with wood sides



FIND-ME-QUICK—"A FILO"-BAMBOO


hinged doors

applicable only on structures with wood sides



GRIP-BLEND hinged doors

applicable only on structures with wood sides




Molteni & C

7—
71


NICHE doors

applicable only on structures with wood sides



LINEAR door


applicable only on structures with wood sides






GLASS-SISTEMA 7 doors, th 35

MERIDIAN doors, th 42

applicable on all types of structures




Sliding doors




It is possible to make sliding door wardrobes with doors of the following types:
- QUICK
- START
- "A FILO"
- GRIP
- BLADE

It is possible to make the external sliding door with two handles if using the QUICK, "A FILO" or BLADE door (full-height handle) and applying the surcharge






Detail of side panel with extension profile

with BLADE door



Flush sliding doors



DATASHEET

REGISTERED
DESIGN

2026

DOORS


155° opening (only for compartments with wooden sides)

On FIND-ME - QUICK - START - "A FILO" - BAMBOO - HOLLOW - GRIP - NICHE - BLEND doors it is also possible to use 155° opening hinges, with an extra charge per individual door. In this case, it is necessary to take special care in inserting internal drawer units, trinket trays and devices.


155° hinges cannot be used on 'A FILO doors (mirror and glass) with width over W 487.

It is also necessary to comply with the diagrams provided here.

Molteni & C




YES FIND-ME - QUICK - "A FILO" - BAMBOO - HOLLOW - NICHE doors



NO START - GRIP doors

8—


71



YES FIND-ME - QUICK - "A FILO" - BAMBOO - HOLLOW - NICHE doors



YES START - GRIP doors



NO BLEND doors with GLASS doors

Hinged doors with key lock


For the hinged doors specified, a key lock can be fitted to order. The additional cost for one or two doors. It can even be fitted on a terminal element or a corner element (in compliance with the handle installation rules).

For doors with a lock, the internal drawer units must be suspended.


Installation of only the lock can be requested, without a handle, always considering the price of the START doors and the additional cost of the lock.

For LINEAR doors, see page 106 price list because they have special locks.


START door
handle type "M"




START door
handle type "E"




START door
handle type "CV"



QUICK door
"A FILO" door



HOLLOW door



DATASHEET

REGISTERED
DESIGN

2026

SISTEMA 7

A new folding opening system with a patented mechanism which makes it possible, in the 180° version, to open the unit entirely.

The mechanism, light and silent, does not require tracks and therefore allows use of the full height.

The hinged doors enable 180° opening and wardrobe width made to order; the special hinge pins are anchored to the base and the cover.

Anyhow, SISTEMA 7 hinge doors can be used (see p. 14/15 price list).

The 90° opening, on the other hand, is an intermediate solution that can solve design problems while maintaining a uniform design.

The thickness of the wood and glass door are 35 mm.

SISTEMA 7 can be applied to all Gliss Master structures with wood, glass or frame sides, but cannot be used with other Gliss Master doors.

The 90° and 180° folding door is applied to modules with width 790 and 954, while the hinged door is applied to single modules 380/462/626, double modules 790/954/1282 and the corner unit (see pag. 16 price list).

The 380 mm unit is specific for SISTEMA 7 with hinged door.

Reductions

90° and 180° folding openings can be reduced in height only.

180° hinged openings can be reduced in height and in width up to 405 mm.

Notes


The side panels follow the same logic as Gliss Master (see drawing •).

Molteni & C

9—
71


* = 180° Hinged (necessary for 180° opening and for wardrobes with width made to order)

90° Folding opening




If the 90° folding door is on an end unit with external door, provide filler:
50 mm (790 compartment)
120 mm (954 compartment)

180° Folding opening



Mixed 90° / 180° Folding openings



CORNER ELEMENT

Open corner element P 595

The open corner element is supplied complete with base, top and backs. The melamine-faced, frame or glass central partitions must be inserted between the corner element and the adjacent modules. The open corner element can also receive a side panel to close the composition.

Doors can be applied to the open corner element by following the rules below:

- GLASS door (180°) on corner element 1282x1282 / 1101x1101 with all types of side panels (wood, frame or glass);
- SISTEMA 7 door (180° hinged and 180° folding) only on corner element 1101x1101 with all types of side panels;
- QUICK and "A FILO" door (155°) only on corner element 1101x1101 with wooden side panels.
- LINEAR door only on corner element 1101x1101 with wooden side panels.
- MERIDIAN door (180°) only on corner element 1101x1101 with all types of side panels. Compartments adjacent to the corner element can be either open or closed with the same door model.

Notes

The shelf is not included in the price of the corner element. LED lighting bars can be applied to the shelves and lids, as shown in the drawing below. Not possible with glass back panels.


Reductions

The corner element can be reduced in height, width and depth.



Width reduction can only be performed on one side or on both sides up to a minimum width of 1101 mm.

See method on price list page 32

Depth reduction can be performed on either one or two sides up to a minimum depth of 435 mm. If only one side is reduced, it will be the one with the longer shelves (*).




Solution with GLASS door




Solutions with SISTEMA 7
(only for corner element 1101x1101)


180° folding






180° hinged



Solution with QUICK, "A FILO", and LINEAR*, MERIDIAN * doors
(only for corner element 1101x1101)




The corner element can be fitted with shelves and clothes rails, or with this solution of drawer units that have a central partition H 1158 where the desired drawer unit can be inserted. The drawer unit can be with fronts W 420 or 584.



No type of drawer unit
can be inserted
with frame or glass sides

Placing LED lighting bars



Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

STRUCTURE

Structure for walk-in closet

In version **A**, the structure (base, cover, centre and side panels) has melamine facing in the same finish as the structure.

The back panel can be made in the finishes on the price list (see price list page 8).

The side panels are always provided without extension profile (see detail).

In version **B**, the central partitions and sides are made with an aluminium frame with pewter colour, bronze or iris finish, with or without glass.

Base, lid and back piece are in melamine, in the same finish as the structure.

The back panel can be made in the finishes on the price list (see price list page 8).

Horizontal tags on the base and lid are made in a pewter colour, bronze or iris finish like the side frames.

In version **C**, given the presence of frame sides in pewter colour finish, the central and side partitions in melamine are also made with front tags in pewter colour, bronze or iris, considering the specific price.

Molteni & C

Reductions

See procedures on price list page 32.


** Notes

The central melamine sides with front profile, frame and glass are available with an Eco Skin insert, only for use in walk-in closets

* Glass back panel (H max 2631) not available in the linear compartment W 1282 and in the corner element


11—
71

version A - Structure with wooden sides (melamine in the same colour as the structure) Glass back panel max H 2631



* Excluding module with glass back

version B - Structure with frame or glass sides (glass back panel max H 2631)





Compartments with frame or glass sides must always include a shelf or a drawer unit

* Excluding module with glass back

The side panel is always glass

** Available with an Eco Skin insert (for walk-in closets only)

version C - Structure with mixed sides (glass back panel max H 2631)



DATASHEET

REGISTERED
DESIGN

2026

STRUCTURE

Linear modules

Linear modules are made up of a base and lid always made in melamine in the same finish as the structure.

The back is available in the three versions indicated below.

A1 and **A2** can be reduced in height, width and depth if closed by sides and doors that are compatible with the requested reductions.

A3 can be reduced only in height.

Central partitions

These are available in melamine, in the same finishes as the structure, frame and glass.

The melamine version can be reduced in height and depth.

The frame and glass versions can be reduced only in height.

Compartments with frame or glass sides must always include a shelf or a drawer unit.

A version with an Eco Skin insert is available for use in walk-in closets.

Side panels

These are available in melamine, in the same finishes as the structure, frame and glass. The melamine version can be reduced in height and depth.

The side exterior is available also in matt lacquer, glossy lacquer or wood finish (vertical grain), as shown on p. 8 price list.

The standard finish on side panels is an extension profile in the coloured matt lacquer, pewter colour, bronze, iris (to be specified in the Order). The extension profiles for glossy lacquer or wood side panels always match the side panels of the same finish.

The frame and glass versions can be reduced only in height.

Compartments with frame or glass sides must always include a shelf or a drawer unit.


Reductions

See procedures on page 32 price list.

Molteni & C

12—
71


A1 - Melamine back



A1

Base, lid and back made in melamine finish matching the structure.
The back is available also in piqué

A2 - Back in fine grain, matt lacquered colours, wood or BLEND fabric




A2

Base and lid made in melamine finish matching the structure.
Back in fine grain, matt lacquered colours wood or BLEND fabric.

A3 - Glass back

(only hinged GLASS, closet and SISTEMA 7 glass)




A3

Base and lid made in melamine finish matching the structure.
It is possible to produce single finished modules W 790/954 with lateral pieces in glass by using the glass lids (see p. 59 price list)

Central partitions, th 30

Warning:

frame sides and glass sides will only have holes at the position of the shelves. Complete hole series at regular intervals 96 mm will involve an extra charge per side.



DATASHEET

REGISTERED
DESIGN

2026

TWO-SIDED CORNER WARDROBE COMPOSITIONS WITH OUTWARD SWING DOORS


Many of the solutions described below can be created with Gliss Master. These layouts can be installed either with or without the external corner module.

** For this side, please consider the wooden side panel surcharge.


Molteni & C

13—
71


Solution A:
Outward swing doors
(NO glass back panels)




Solution B:
Outward swing door + Walk-in Closet
(NO glass back panels)



Solution C:
Outward swing door + Inward swing door
(example with glass back panels)



Solution D:
Outward swing door + Inward swing door
(example with rear finishing panel)



* This compartment can be closed with a QUICK, "A FILO" and NICHE door (vertical and horizontal). For glass backs, drawer units are mandatory for compartments with frame or glass sides. For melamine structure, piqué, matt lacquered colours, wood or fine grain backs, use drawer units that are narrower than the module.

DATASHEET

REGISTERED
DESIGN

2026

EXTERNAL CORNER UNIT

External corner unit

- It can be either open or fitted with doors.
- It is always secured to the melamine central partitions of the adjacent wardrobes.
- The front profile can have a matt lacquered, pewter colour, bronze and iris finish.
- Height, width and depth can be reduced.
- The external corner unit can be closed in all hinged door models.


Reductions

The external corner unit can be reduced in height, width and depth.


* For this side, please consider the wooden central partition surcharge.

Molteni & C


14—
71




Solution A:
with Doors




Solution B:
Walk-in Closet



Solution C:
Doors and Walk-in Closet



Solution D:
Doors and Walk-in Closet



DATASHEET

REGISTERED
DESIGN

2026

WARDROBE REDUCTIONS

Structure reductions

Type of reduction	height	width	depth
Linear modules D 595 mm <small>melamine, fine grain, matt lacquered colours, woods, BLEND fabric back</small>	per millimetre	per millimetre	min -20 mm max -256 wardrobe / flush sliding ward. max -160 mm
Linear modules D 595 mm glass back	per millimetre	no reductions	no reductions
Linear modules D 595 mm for BLEND drawers	no reductions	no reductions	no reductions
Linear elements D 435 mm	per millimetre	per millimetre	min -20 mm max -96 mm
Corner element for wardrobe with doors	per millimetre	no reductions	no reductions
Open corner element	per millimetre	1 side up to 1101 x 1282 2 sides up to 1101 x 1101	1 side up to mm 435 (see note page 16 price list) 2 sides up to mm 435
Terminal element	per millimetre	no reductions	no reductions
Wooden central partition or side panel	per millimetre		reductions depend on linear modules
Frame or glass side panel or central partition	per millimetre		no reductions
External corner unit	per millimetre	up to mm 435	up to mm 435

Should the depth of the linear structure be reduced to less than 495 mm, it will not be possible to use the standard MERIDIAN door with patented damper. It will be fitted with SISTEMA 7 type slow close hinge. The same goes for any reduction in depth of the open corner element.

Door reductions

Type of reduction	height	width
Wooden hinged doors (FIND-ME-QUICK-START-BLEND-LINEAR-“A FILO”-HOLLOW-GRIP-NICHE)	per millimetre	per millimetre
“A FILO” glass hinged doors - Hinged doors SMOOTH	per millimetre	per millimetre
BAMBOO hinged doors	per millimetre	at -15 mm intervals
Wooden sliding doors (QUICK - START - “A FILO” - BLADE - GRIP)	per millimetre	ONLY doors W 979 and 1307 mm - reducible down to W 815 mm
“A FILO” glass sliding doors	per millimetre	no reductions
Wooden flush sliding doors (QUICK - START - “A FILO” - HOLLOW - GRIP) Flush sliding doors W 1471 mm cannot be reduced.	per millimetre	no reductions
“A FILO” glass flush sliding doors	per millimetre	no reductions
LINEAR / GLASS / MERIDIAN doors	per millimetre	reducible down to W 405 mm
SISTEMA 7 wood hinged door	per millimetre	reducible down to W 405 mm
SISTEMA 7 wood folding door	per millimetre	no reductions
SISTEMA 7 glass hinged door	per millimetre	reducible down to W 405 mm
SISTEMA 7 glass folding door	per millimetre	no reductions
BLEND external drawer (depth cannot be reduced)	no reductions	no reductions

Reductions of internal fittings

Type of reduction	height	width	depth
Wood shelves		per millimetre	reductions depend on linear modules
Shelves with pewter colour profile		per millimetre	reductions depend on linear modules
Eco Skin shelves		per millimetre	reductions depend on linear modules
Glass shelves		per millimetre	reductions depend on linear modules
Clothes rails		per millimetre	
Central divider pieces	32 mm intervals		reductions depend on linear modules
Internal drawers / trinket trays, trouser holders and pull-out trays / grid with shirt and sweater holders / shoe rack shelves / pull-out shirt holders / SOFT LINE internal fittings / islands	no reductions	no reductions	no reductions
“Smart” drawer unit 2 drawers		per millimetre	no reductions
“Smart” drawer unit 3 drawers		per millimetre	no reductions
“Smart” drawer unit 4 drawers		per millimetre	no reductions

Horizontal and vertical light bars can be reduced with the supplementary charge included in the charge for cutting shelf and side panel.

SPECIAL PROCESSING - INSPECTIONS


Molteni & C

16—



71

**Inspection on lid
with removable panel
for 626/790/954/1282
compartments (only on
hinged door compartment)**

LED lights can also be
fitted on the top.
Only for compartments
with melamine sides.
Removable 10 th. panel
melamine finished structure




PAISPC01




**Inspection on base
with removable panel
for 626/790/954/1282
compartments (only on
hinged door compartment)**

Only for compartments
with melamine sides.
Removable 10 th. panel
melamine finished structure




PAISPBA1




**Inspection on side panel
with removable panel**

Removable 10 th. panel
melamine finished structure.
Only one inspection possible
per side panel.



PAISPSP1




DATASHEET


REGISTERED
DESIGN

2026

REMOVABLE BACK PANEL




Type 1



Molteni & C

17—

71



Type 2

The removable back is made by dividing the back panel's structure, and adding two fixed shelves or 1 if starting from the base or top. Not possible with BLEND fabric back panel.

Type 1

- Back cut
- Additional back panel at fixed price (for all finishes)
- Removable panel H max 1698 mm

melamine structure	matt lacquer	wood
W 462/626	W 462/626	W 462/626
W 790/954	W 790/954	W 790/954
W 1282	W 1282	W 1282

Type 2

- Back cut
- Removable panel H max 1734 mm


melamine structure	matt lacquer	wood
W 462/626	W 462/626	W 462/626
W 790/954	W 790/954	W 790/954
W 1282	W 1282	W 1282

DATASHEET

REGISTERED
DESIGN

2026

SPECIAL PROCESSING - SHAPING




Only on hinged door compartment


Costs to consider:
 - Back cut
 - Lid cut
 - Fixed shelf with surcharge for cut
 (see page 131 price list for solid wood shelves)
 - Back, fixed price (for all finishes)
 Not possible with BLEND fabric back panel.

Molteni & C

18—
71



Costs to consider:
 - Back cut
 - Base/lid/shelf in solid wood
 2 cuts per shaped piece
 - 2 additional panels (melamine structure)
 - Possible cut in side



Notes

- Shaping in both height and width cannot be done on the same compartment.
- Confirmation to the customer of the feasibility of shaping will only be given after checking with the Molteni & C Technical Office.

Custom cuts for attics


Doors with slanting cut (only for wardrobes with solid wood sides)

When preparing the order, indicate heights H1 and H2, as well as the width L, as shown in the example.

The price for the slanting cut for each door is the same as cutting for a hinged door, as shown in the doors pages.


In this case a single module must be used with a QUICK, START, "A FILO", HOLLOW and GRIP hinged door, with the melamine facade and matt lacquered finishes, hinged on the higher side.

The structures can be standard or made to size.



Standard or made to size doors (only for wardrobes with solid wood sides)

Double compartments with hinged doors can be used for this solution.



DATASHEET

REGISTERED
DESIGN

2026

GLISS
MASTER—
VINCENT
VAN DUYSEN
2015

**GLASS TOP FOR WARDROBES
FINISHED WITH ONLY ONE
COMPARTMENT W 790/954**

To use only with:

- single linear module W 790 / W 954
(no modular arrangement is possible)
- only with glass lateral pieces and glass back panel
- clothes rod cannot be mounted on the lid
- cannot be used with SISTEMA 7 doors

Glass finish

transparent glass
transparent stopsol glass
stopsol etched glass

Profile finish

pewter colour
bronze
iris

Molteni & C

Increase valid for depths 595 - 23 3/8"



W 790 - 31 1/8"

W 954 - 37 1/2"

19 —

71

DATASHEET

REGISTERED
DESIGN

2026

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

FIND-ME door th 25

Door with full height vertical finger recess included in the door thickness.
The door is available in a hinged version in wood.

All the hinged doors have cushion-closing hinges.

Hinges with 155° opening can be used and a key lock can be installed on hinged doors.

The FIND-ME door can be made with LINEAR invisible hinges for matt lacquered colours, 3D matt lacquer, lunar, and wood finishes with a cost supplement per door.

Reductions

FIND-ME doors can be reduced as shown on p. 32 price list.

Notes

With 3D lacquer and lunar surfaces, the outside of the side panel can be made with a matt lacquer finish or a laminate faced finish like the internal structure.

To match the lunar finish door, we advise the side exterior finish in clay matt lacquer with finger recess and extension profiles in pewter colour, bronze, iris.


Molteni & C

FIND-ME wooden door

matt lacquer colours
glossy lacquer colours
vertical grain wood
3D matt lacquer colours
lunar

20—

71



finishes

hinged doors	matt lacquer colours	lunar	vertical grain wood	glossy lacquer colours	3D matt lacquer colours
width 487 (19 1/8")	●	●	●	●	●
w. 651 (25 5/8")/608 (23 7/8")	●	●	●	●	●
width 815 (32 1/8")	●	●	●	●	●
width 979 (38 1/2")	●	●	●	●	●
width 1307 (51 1/2")	●	●	●	●	●
door for terminal element	●	●	●	●	●

DATASHEET

REGISTERED
DESIGN

2026

QUICK door th 25

Door with full height handle included in the door thickness.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 55 price list).

Reductions

QUICK doors can be reduced as shown on p. 32 price list.

Notes

Sliding doors and flush sliding doors are not available in H 2889.

With door in tatami melamine and chestnut finish, it is possible to make the structure and side panel in the same finish as the doors.


Side extension profiles are made in the same finish as the handle.

With cartapaglia and silk finished doors, the side panel exterior can be made with a finish in matt lacquered colours or a melamine finish like the internal structure.

QUICK door

Molteni & C

21—
71



FINISHES TO MATCH THE QUICK DOOR		
DOOR PANEL	PROFILE HANDLE/ DOOR EXTENSION	EXTENSION PROFILE SIDE PANEL
Ivory Tatami	RAL7032	RAL7032
Grey Tatami	RAL7039	RAL7039
Light Chestnut		
Dark Chestnut		
Sunrise chestnut		
White cartapaglia	Epoxy finish Bronze or Epoxy finish	Epoxy finish Bronze or Epoxy finish
Silica cartapaglia	Pewter Colour or Epoxy finish	Pewter Colour or Epoxy finish
Anthracite cartapaglia	Iris	Iris
Chalk white silk		
Silica silk		
Dove grey silk		
Ivory Tatami		
Grey Tatami		

For handles matt lacquered in color with cartapaglia, silk and tatami melamine use "A FILO" doors

hinged doors

width 487 (19 1/8")	●
w. 651 (25 5/8")/608 (23 7/8")	●
width 815 (32 1/8")	●
width 979 (38 1/2")	●
width 1307 (51 1/2")	●
door for terminal element	●
corner unit 1101x1101	●

sliding doors

width 815 (32 1/8")	●
width 979 (38 1/2")	●
width 1307 (51 1/2")	●

flush sliding doors

width 815 (32 1/8")	●
width 979 (38 1/2")	●
width 1307 (51 1/2")	●

DATASHEET

REGISTERED
DESIGN

2026

START door th 25

Door with handles mounted on the front.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 55 price list).

The START door can be made with LINEAR invisible hinges for melamine front, matt lacquered colours, 3D matt lacquer and wood finishes with a cost supplement per door.

Reductions

START doors can be reduced as shown on p. 32 price list.

Notes

Sliding doors and flush sliding doors are not available in H 2889.

With melamine front and 3D lacquer finishes, the outside of the side panel can be made with a matt lacquer finish or a melamine finish like the internal structure.

START door

melamine cartapaglia
talami melamine
melamine silk
chestnut melamine
matt lacquer colours
3D matt lacquer colours
glossy lacquer colours
vertical grain wood

Type "E"

standard

Pewter colour structure with front insert:
matt lacquer colours
woods

Structure and front insert:
bronze
pewter colour
iris

Type "M"



surcharge each

Finish
pewter colour
bronze
iris

Type "CV"

standard ONLY for hinged opening

Finish
pewter colour
bronze
iris



finishes

hinged doors	melamine front	matt lacquer colours	vertical grain wood	glossy lacquer colours	3D matt lacquer colours
width 487 (19 1/8")	•	•	•	•	•
w. 651 (25 5/8")/608 (23 7/8")	•	•	•	•	•
width 815 (32 1/8")	•	•	•	•	•
width 979 (38 1/2")	•	•	•	•	•
width 1307 (51 1/2")	•	•	•	•	•
door for terminal element	•	•	•	•	•
sliding doors					
width 815 (32 1/8")	•	•	•	•	
width 979 (38 1/2")	•	•	•	•	
width 1307 (51 1/2")	•	•	•	•	
width 1471 (57 7/8")		•		•	
flush sliding doors					
width 815 (32 1/8")	•	•	•	•	
width 979 (38 1/2")	•	•	•	•	
width 1307 (51 1/2")	•	•	•	•	
width 1471 (57 7/8")		•		•	

DATASHEET

REGISTERED
DESIGN

2026

"A FILO" door th 25

Door with full-height handle included in the thickness of the door.
The door is available in the versions wood and glass.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 55 price list).

The "A FILO" door can be made with LINEAR invisible hinges for melamine front, matt lacquered colours, 3D matt lacquer and wood finishes with a cost supplement per door.

Reductions

"A FILO" doors can be reduced as shown on p. 32 price list.

Notes

Sliding doors and flush sliding doors are not available in H 2889.

Glass hinged doors are not available in H 2889.

Flush sliding glass doors cannot be used in compositions with 3 doors.

With surfaces in cartapaglia melamine, silk and 3D lacquer, the outside of the side panel can be made with a matt lacquer finish or melamine like the internal structure.


Molteni & C

23—

71

"A FILO" wooden door


melamine cartapaglia
melamine silk
melamine tatami
chestnut melamine
matt lacquer colours
3D matt lacquer colours
glossy lacquer colours
vertical grain wood



"A FILO" glass door

Glass:
coloured
etched coloured
mirror

Profile and "a filo" handle:
pewter colour
bronze
iris



finishes

	melamine front	matt lacquer colours	vertical grain wood	glossy lacquer colours	coloured glass/etched coloured glass/mirror	3D matt lacquer colours
--	----------------	----------------------	---------------------	------------------------	---	-------------------------

hinged doors

width 487 (19 1/8")	•	•	•	•	•	•
w. 651 (25 5/8")/608 (23 7/8")	•	•	•	•	•	•
width 815 (32 1/8")	•	•	•	•	•	•
width 979 (38 1/2")	•	•	•	•	•	•
width 1307 (51 1/2")	•	•	•	•	•	•
door for terminal element	•	•	•	•	•	•
corner unit 1101x1101	•	•	•	•	•	•

sliding doors

width 815 (32 1/8")	•	•	•	•	•	
width 979 (38 1/2")	•	•	•	•	•	
width 1307 (51 1/2")	•	•	•	•	•	
width 1471 (57 7/8")		•		•		

flush sliding doors

width 815 (32 1/8")	•	•	•	•	•	
width 979 (38 1/2")	•	•	•	•	•	
width 1307 (51 1/2")	•	•	•	•	•	
width 1471 (57 7/8")		•		•		

DATASHEET

REGISTERED
DESIGN

2026

SMOOTH door th 25

Door covered in Eco Skin or BLEND fabric in the colours in the Molteni range, featuring a full-height handle recessed in the width of the door and a perimeter profile that outlines the edge.

All the hinged doors have cushion-closing hinges.
Hinges with 155° opening can be used.

Reductions

SMOOTH doors can be reduced as shown on p. 32 price list.


Notes

With Eco Skin or BLEND fabric surfaces, the side panel exterior can be made with a matt lacquer finish or a melamine finish like the internal structure.

Molteni & C

24—

71



finishes

Eco Skin /
BLEND fabric

hinged doors

width 487 (19 1/8")	●
w. 651 (25 5/8")/608 (23 7/8")	●
width 815 (32 1/8")	●
width 979 (38 1/2")	●
width 1307 (51 1/2")	●
door for terminal element	●

DATASHEET

REGISTERED
DESIGN

2026

BAMBOO door th 25

Door covered in quilted Eco Skin in the colours of the Molteni range, characterized by a full-height handle recessed in the thickness of the door and by a perimeter profile that defines its contour.

All the hinged doors have cushion-closing hinges.
Hinges with 155° opening can be used.

Reductions

BAMBOO doors can be reduced as shown on p. 32 price list.

With fronts in Eco Skin finish, the outside of the side panel can be made with matt lacquer finish or in melamine in the same finish as the inside structure.

Molteni & C


25—

71

BAMBOO door

Handle and perimeter profiles:
pewter colour
bronze
iris

Panels covered in Eco Skin
in the colours:
grey
mink
hemp
ivory
dark brown
earth
arctic
taupe



finishes

hinged doors Eco Skin

width 487 (19 1/8")	●
w. 651 (25 5/8")/608 (23 7/8")	●
width 815 (32 1/8")	●
width 979 (38 1/2")	●
width 1307 (51 1/2")	●
door for terminal element	●

DATASHEET

REGISTERED
DESIGN

2026

HOLLOW door th 25

Door characterized by the handle recessed in the thickness of the door.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly.
Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 55 price list).

The **HOLLOW door** can be made with **LINEAR invisible hinges** for melamine front, matt lacquered colours, and wood finishes with a cost supplement per door.

Reductions

HOLLOW doors can be reduced as shown on p. 32 price list.

Notes

Flush sliding doors are not available in H 2889.

With the fronts in melamine front finish, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

Molteni & C

26—

71


HOLLOW door

Panel:

melamine cartapaglia
melamine tatami
melamine silk
chestnut melamine
matt lacquer colours
glossy lacquer colours
vertical grain wood

Handle:

pewter colour
bronze
iris



finishes

hinged doors	melamine front	matt lacquer colours	vertical grain wood	glossy lacquer colours
width 487 (19 1/8")	•	•	•	•
w. 651 (25 5/8")/608 (23 7/8")	•	•	•	•
width 815 (32 1/8")	•	•	•	•
width 979 (38 1/2")	•	•	•	•
width 1307 (51 1/2")	•	•	•	•
door for terminal element	•	•	•	•

flush sliding doors

width 815 (32 1/8")	•	•	•	•
width 979 (38 1/2")	•	•	•	•
width 1307 (51 1/2")	•	•	•	•

DATASHEET

REGISTERED
DESIGN

2026

GLISS
MASTER—
VINCENT
VAN DUYSEN
2015

BLADE sliding door th 25

Door with full-height handle.

The sliding system automatically aligns the door as it opens and closes.

Reductions

BLADE doors can be reduced as shown on p. 32 price list.

Notes

BLADE doors are not available with H 2889.

With the fronts in melamine front finish, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

Molteni & C

BLADE sliding door

melamine cartapaglia

melamine tatami

melamine silk

chestnut melamine


matt lacquer colours

glossy lacquer colours

vertical grain wood

27—

71



finishes

melamine
front

matt lacquer
colours

vertical grain
wood

glossy lacquer
colours

sliding doors

width 815 (32 1/8")	●	●	●	●
width 979 (38 1/2")	●	●	●	●
width 1307 (51 1/2")	●	●	●	●
width 1471 (57 7/8")		●		●

DATASHEET

REGISTERED
DESIGN

2026

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

GRIP door th 25 design Vincent Van DuySEN

Door with a handle applied laterally on the edge of the door.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly.

Hinges with 155° opening can be used on hinged doors (see page 55 price list).

The GRIP door can be made with LINEAR invisible hinges for melamine front, matt lacquered colours, and wood finishes with a cost supplement per door.

Reductions

GRIP doors can be reduced as shown on p. 32 price list.

Notes

Sliding doors and flush sliding doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.

With the fronts in melamine front finish, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

Handles finishes

pewter colour

bronze

iris



pewter colour/bronze/iris covered in Eco Skin in the colours (with surcharge per handle)

Molteni & C

28—

71

GRIP door
melamine cartapaglia
melamine tatami
melamine silk
chestnut melamine
matt lacquer colours
glossy lacquer colours
vertical grain wood



hinged doors	finishes			
	melamine front	matt lacquer colours	vertical grain wood	glossy lacquer colours
width 487 (19 1/8")	●	●	●	●
w. 651 (25 5/8")/608 (23 7/8")	●	●	●	●
width 815 (32 1/8")	●	●	●	●
width 979 (38 1/2")	●	●	●	●
width 1307 (51 1/2")	●	●	●	●
door for terminal element	●	●	●	●
sliding doors				
width 815 (32 1/8")	●	●	●	●
width 979 (38 1/2")	●	●	●	●
width 1307 (51 1/2")	●	●	●	●
width 1471 (57 7/8")		●		●
flush sliding doors				
width 815 (32 1/8")	●	●	●	●
width 979 (38 1/2")	●	●	●	●
width 1307 (51 1/2")	●	●	●	●
width 1471 (57 7/8")		●		●

DATASHEET

REGISTERED
DESIGN

2026

GLISS
MASTER—
VINCENT
VAN DUYSEN
2015

NICHE door th 25 design Vincent Van DuySEN

Door with recessed handle.

All the hinged doors have cushion-closing hinges.

Hinges with 155° opening can be used on hinged doors (see page 55 price list).

Reductions


NICHE doors can be reduced as shown on p. 32 price list.

Handles finishes
pewter colour
bronze
iris

NICHE door
matt lacquer colours
glossy lacquer colours
vertical grain wood

Molteni & C

29—
71



finishes			
	matt lacquer colours	vertical grain wood	glossy lacquer colours
hinged doors			
width 487 (19 1/8")	●	●	●
width 651 (25 5/8")/608 (23 7/8")	●	●	●
width 815 (32 1/8")	●	●	●
width 979 (38 1/2")	●	●	●
width 1307 (51 1/2")	●	●	●
door for terminal element	●	●	●

DATASHEET

REGISTERED
DESIGN

2026


BLEND door and external drawer design Rodolfo Dordoni

Hinged doors with perimeter profile characterised by a vertical decoration and the possibility of being combined with an external lower drawer.

Molteni & C

30—

71



Technical information

- The hinged doors cannot be applied to frame or glass sides and to open corner units (1101x1101 - 1282x1282).
- The compartment above the drawer must always be closed with BLEND doors and cannot be equipped with central dividing sides.
- The protruding base, with one or more modules, must always be hooked to at least one side panel of the wardrobe.
- The decorative profile cannot be made on doors smaller than 487 mm wide.
- The drawer cannot be adjacent to the corner element (658x658).

DATASHEET

REGISTERED
DESIGN

2026

BLEND door and external drawer design Rodolfo Dordoni

All hinged doors are equipped with soft closing hinges.

It is possible to use hinges with 155° opening on hinged doors.

Notes

In pairs of hinged doors, the handle is fitted on both doors.
The door covering fabrics are specific for this use and feature a water-repellent surface treatment (Scotchgard).


Fabric colours

bark brown
moss green
olive green
vanilla
malachite
hay
moon
storm
river rocks


Hinged door

Molteni & C

31—
71



External drawer



panel finishes

hinged doors	matt lacquer colours	fabric	wood	mirror
width 487 (19 1/8")	●	●		
width 651 (25 5/8")/608 (23 7/8")	●	●		
width 815 (32 1/8")	●	●		
width 979 (38 1/2")	●	●		
width 1307 (51 1/2")	●	●		
door for terminal element	●	●		

Handle
always in pewter colour finish



external drawer

width 487 (19 1/8")	●		●	●
width 651 (25 5/8")	●		●	●
width 815 (32 1/8")	●		●	●
width 979 (38 1/2")	●		●	●
width 1307 (51 1/2")	●		●	●

DATASHEET

REGISTERED
DESIGN

2026

GLASS door th 35 design Vincent Van DuySEN

Glass door with 180° opening made with a special soft close hinge inserted in the profile and completely hidden in the side (exclusively by Molteni). A full height handle is designed in the profile.

Integrated lock with coded key

GLASS hinged doors with integrated lock are available, taking into account a surcharge for single door or pair of doors. As standard, all lockable doors in a wardrobe will have different coded keys. On the pair of doors, the lock will always be applied to the right door. The lock is not applicable to hinged doors of the external corner units.

Reductions

GLASS doors can be reduced as shown on p. 32 price list.

Notes

The GLASS doors are available with H 2889 only for widths 487, 815, 979 and for the corner unit 1101x1101.

In the pair of hinged doors, the handle is mounted on both doors in the pair.


The GLASS door can also be installed on the open corner module.

GLASS door

Molteni & C

32—

71



finishes

	transparent / smoked / bronze glass	stopsol transparent/silver/ bronze glass	stopsol etched glass	net glass
--	---	--	----------------------------	--------------

180° Hinged

width 487 (19 1/8")	●	●	●	●
w. 651 (25 5/8")/608 (23 7/8")	●	●	●	●
width 815 (32 1/8")	●	●	●	●
width 979 (38 1/2")	●	●	●	●
width 1307 (51 1/2")	●	●	●	●
corner unit 1101x1101	●	●	●	●
corner unit 1282x1282	●	●	●	●

DATASHEET

REGISTERED
DESIGN

2026

MERIDIAN door th 42 design Studio Klass

Hinged door with 180° opening fitted as standard with patented soft open/close hinges.

Door pauses at 110° with non-simultaneous closure of the pair.

MERIDIAN doors are available in three versions:

- Glass or MDi by Inalco door with external metal profiles
- Glass or MDi by Inalco door with external wood profiles
- Glass door with decorative and external wood profiles

For pairs of hinged doors W 815, 979 and 1307 the handle is fitted on both doors.

Reductions

MERIDIAN doors can be reduced in height and in width up to 405 mm.

Notes

Locks cannot be applied to MERIDIAN doors.

When the MERIDIAN door is used on a linear structure less than 495 mm deep or on an open corner structure with reduced depth, the patented soft close hinge cannot be used. The door will be fitted with SYSTEM 7 type slow close hinge.

Doors in MDi by Inalco are not available in 2889 height.





MERIDIAN glass or MDi by Inalco door
with external profiles in metallic or wood finish

MERIDIAN glass door with decorative profiles
with external and decorative profiles in wood

Molteni & C

33—

71



finishes					
180° hinged	transparent/ smoked/bronze glass	stopsol transparent/silver/ bronze glass	stopsol etched glass	net glass	MDi by Inalco merino white/ gray brown
width 487 (19 1/8")	●	●	●	●	●
w. 651 (25 5/8")/608 (23 7/8")	●	●	●	●	●
width 815 (32 1/8") couple	●	●	●	●	●
width 979 (38 1/2") couple	●	●	●	●	●
width 1307 (51 1/2") couple	●	●	●	●	●
corner unit 1101x1101	●	●	●	●	●

180° hinged with profiles					
width 487 (19 1/8")	●	●	●	●	
w. 651 (25 5/8")/608 (23 7/8")	●	●	●	●	
width 815 (32 1/8") couple	●	●	●	●	
width 979 (38 1/2") couple	●	●	●	●	
width 1307 (51 1/2") couple	●	●	●	●	
corner unit 1101x1101	●	●	●	●	

DATASHEET

REGISTERED
DESIGN

2026

LINEAR door th 25 design Vincent Van DuySEN

All the doors applied to the linear modules are equipped with new generation concealed hinges on the side panel, with soft closure. For use on the 1101x1101 corner element, the glass doors are equipped with pivot hinges (SISTEMA 7), while the wooden doors with traditional 155° hinges.

A handle with lock is available considering a surcharge for single door or a pair (for wood and glass doors). The lock is not available for corners 1101x1101.

Reductions

The LINEAR doors can be reduced to the millimetre in height and width.

Notes

LINEAR doors cannot be applied to frame or glass sides.

H 2889 hinged doors are available only in W 405/487.

To match the lunar finish, we advise the side exterior finish in matt lacquered argilla and the extension profiles in the same finish as the handle.

LINEAR door wood

matt lacquer colours
lunar

LINEAR door 3D




matt lacquer colours

LINEAR door glass

extra-clear transparent glass
smoked/bronze glass
transparent stopsol glass
silver stopsol glass
bronze stopsol glass
stopsol etched glass
3D etched bronze


Molteni&C

34—
71




Profile finish:
pewter colour
bronze
iris

LINEAR handle



LINEAR handle with lock



Handle finish:
pewter colour
bronze
iris

finishes

hinged doors	matt lacquer colours	lunar	3D matt lacquer colours	extra-clear transparent glass	smoked/bronze glass	transparent stopsol glass	silver stopsol glass	stopsol bronze glass	stopsol etched glass	3D etched bronze
width 487 (19 1/8")	●	●	●	●	●	●	●	●	●	●
w. 651 (25 5/8")/608 (23 7/8")	●	●	●	●	●	●	●	●	●	●
width 815 (32 1/8")	●	●	●	●	●	●	●	●	●	●
width 979 (38 1/2")	●	●	●	●	●	●	●	●	●	●
width 1307 (51 1/2")	●	●	●	●	●	●	●	●	●	●
corner unit 1101x1101	●	●	●	●	●	●	●	●	●	●

DATASHEET

REGISTERED
DESIGN

2026

SISTEMA 7 wood doors th 35 design Vincent Van Duysen

Doors characterised by increased thickness, made in structural honeycombed panels that make the surface perfectly flat.
Patented folding system.
All doors are fitted with soft-closing mechanism.

Notes
Doors are not available with H 2889.


SISTEMA 7 wood doors

mat lacquer colours
glossy lacquer colours
wood

Molteni & C

35—

71



finishes

180° Folding	mat lacquer colours	glossy lacquer colours	vertical grain wood
width 815 (32 1/8")	●	●	●
width 979 (38 1/2")	●	●	●
corner unit 1101x1101	●	●	●

90° Folding

width 815 (32 1/8")	●	●	●
width 979 (38 1/2")	●	●	●

180° Hinged

width 405 (16")	●	●	●
width 487 (19 1/8")	●	●	●
w. 651 (25 5/8")/608 (23 7/8")	●	●	●
width 815 (32 1/8")	●	●	●
width 979 (38 1/2")	●	●	●
width 1307 (51 1/2")	●	●	●
corner unit 1101x1101	●	●	●

DATASHEET

REGISTERED
DESIGN

2026

SISTEMA 7 glass doors th 35 design Vincent Van DuySEN

Glass door with aluminium outer profile, th 35 mm.
Patented folding mechanism.
All doors are equipped with soft-closing system.

Integrated lock with coded key

Hinged doors with 180° opening and 90° / 180° folding doors are available with integrated lock, considering a surcharge for single door or pair of doors.
As standard, all lockable doors in a wardrobe will have different coded keys.
On the pair of hinged doors, the lock will always be applied to the right door.
On the 90° / 180° folding doors it will be applied to the upright opposite to the handle (see section).
The lock is not applicable to hinged doors of the external corner units.

Notes


Doors are not available with H 2889.

Molteni & C


SISTEMA 7 glass doors

36—
71

90° / 180° Folding



180° Hinged



finishes

180° Folding	transparent/ smoked/ bronze glass	stopsol transparent/silver/ bronze glass	stopsol etched glass	net glass
--------------	---	--	----------------------------	--------------

width 815 (32 1/8")	●	●	●	●
width 979 (38 1/2")	●	●	●	●
corner unit 1101x1101	●	●	●	●

90° Folding

width 815 (32 1/8")	●	●	●	●
width 979 (38 1/2")	●	●	●	●

180° Hinged

width 405 (16")	●	●	●	●
width 487 (19 1/8")	●	●	●	●
w. 651 (25 5/8")/608 (23 7/8")	●	●	●	●
width 815 (32 1/8")	●	●	●	●
width 979 (38 1/2")	●	●	●	●
width 1307 (51 1/2")	●	●	●	●
corner unit 1101x1101	●	●	●	●

DATASHEET

REGISTERED
DESIGN

2026

SISTEMA 7 doors th 35

With SISTEMA 7 it is possible to create passageway solutions with doors fastened to Gliss Master wardrobe structures. This type of solution requires the insertion of a lid between the sides of the wardrobes. It can be opened thanks to a 180° folding door in wood or glass.

Reductions

180° folding doors can be reduced in height only.


Notes

Doors are not available with H 2889.

Molteni & C

37—

71



DATASHEET

REGISTERED
DESIGN

2026

SPECIAL ELEMENTS

Column with open compartment

- Can be inserted only in wardrobes without doors or with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- The open compartment is always in matt lacquered colours.
- Doors are always without handles because they protrude with respect to the structure.
- Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.

* The price does not include the central partitions or side panels, nor the internal shelves.

Reductions are allowed only in height, and costs of cutting the structure and doors are applied. Open compartment and lower part cannot be reduced.

Wire passage **EPA1 Ø 60** chrome on request on back.



Notes

The back of the open compartment cannot hold a mounted TV.

Molteni & C

38—

71



DATASHEET

REGISTERED
DESIGN

2026

SPECIAL ELEMENTS

Column with external drawers

- Can be inserted only in wardrobes with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- Pairs of doors always have only one handle mounted on the right door.
- Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.

Reductions

Reductions are allowed only in height, and costs of cutting the structure and doors are applied.


* The price does not include the central partitions or side panels, nor the internal shelves.

Molteni & C


Doors with type "E" handle

39—

71



Doors with "A FILO" handle



DATASHEET

REGISTERED
DESIGN

2026

GLISS
MASTER—
VINCENT
VAN DUYSEN
2015

BEAUTÉ design Rodolfo Dordoni

Molteni & C

40—
71

finishes	eucalyptus / graphite oak / coffee oak / sunrise oak	pewter colour / bronze / iris	Eco Skin	melamine structure
components				
base / top	top	●		
	trim		●	
upper shelf and back mirror		●		
back panel			●	
display shelf	top		●	
	profile		●	
drawer unit structure		●		
drawer unit front	panel		●	
	profile	●		
internal drawers		●		
drawer unit top			●	
internal tray	structure	●		
	bottom		●	
end panel		●		
central panel	inside	●		
	outside			●

Eco Skin

grey
mink
hemp
ivory
dark brown
earth
arctic
taupe

DATASHEET

REGISTERED
DESIGN

2026

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.



BEAUTÉ design Rodolfo Dordoni

Vanity use example

Molteni & C



41—
71

Side



* Insertion is possible of a tray leather (A) or two (B) (see price list page 176)


Central




* Insertion is possible of a tray leather (A) or two (B) (see price list page 176)

Types of panels


Central panel - used if the adjacent compartment has a door



Central or end panel - used with open adjacent compartments with front profile panels or frame/glass panels



Central panel - used with open adjacent compartments with melamine structure panels
End panel - used whenever the adjacent compartments have a door or with open melamine structure panels



DATASHEET

REGISTERED
DESIGN

2026

FILLERS AND OPENING SIDE TRIMS

Horizontal filler

The filler is supplied in two parts, one part to be fixed to the ceiling to which the other will be hooked on (see diagram below).
The distance of the filler from the door is the client's decision.
In the cartapaglia finish, the grain direction is always vertical.
In the wood, lumar, 3D lacquer finish, the grain is always horizontal.

Vertical filler

The vertical filler can be placed flush with the structure or the door.
This detail must be specified in the order to prepare the side panel (see example).
If this detail is not specified when placing the order, the filler will automatically be placed flush with the structure and the side panel will have the extension profile.


Opening fillers

Can be made with START and "A FILO" door. For handles, consider surcharge.
Always have the 155° hinges.
Are the same height as the other doors in the composition.
Have a closing strip on their lower part.
In the wood finish, the grain direction is always vertical.

Molteni & C


42—
71

Horizontal filler side sections





Vertical filler horizontal sections


Flush with structure




Opening filler horizontal sections



Flush with door



Set back



DATASHEET

REGISTERED
DESIGN

2026

LIGHTING SYSTEM

Lighting bars with front LEDs

Internal compartments of Gliss Master wardrobes can be equipped with front LED lighting. The lighting bar can be applied to lids or to wooden, transparent glass and Eco Skin shelves, wood and glass shoe rack shelves. Using the electrified wire strip installed on the side (wood, frame or glass), the shelf can be moved. For each compartment length, we have made specific lighting bars with wiring compliant with European safety standards.

A wire strip is not needed if the compartment only has lighting on the top piece.

Lighting bars can be reduced with a surcharge for the shelf cutting.

Horizontal and vertical LEDs cannot be used for the same composition.

Notes

When placing the order, the customer must indicate how many shelves with lighting bars are required.

For assembly: a lighting system on wardrobe with hinged doors requires a minimum extra height of 2,5 cm (1").

The height can be reduced to 15 mm by inspection on top cod. PAISPC01 (see page 33 price list).

Individual wire strip is always installed on the left side panel of the compartment, with the exception of corner units for walk-in wardrobes and of the compartment next to the corner unit.

When ordering, indicate compartments with wire strip.

The electrified wire strip is mandatory for wardrobes with wooden sides and glass back.

Molteni & C

lighting bars 2700° K	W 380 2,5 watt	W 462 3 watt	W 626 4 watt	W 790 5 watt	W 954 6 watt	W 1282 8 watt	open corner element 8 watt	external corner unit 7 watt
	EBI2C	EBI4C	EBI6C	EBI8C	EBI9C	EBI13C	EBA13C	EBB6C

43—

71

**components
per system**
(see the diagram for
component use and to
calculate system cost)

**power supply
unit 100W**


sensor

electrified wire strip


**connector
(1 for
2 power
supply units)**

**radio control kit
with brightness
setting
(1 per power
supply unit)**


**power supply unit
block 100W
with watertight box
for wardrobe with
glass top**



position of bar and wire strip on wooden partitions



position of bar and wire strip on glass partitions



LIGHTING SYSTEM


System construction diagram

A composition (wardrobe) can be equipped with more than one system and more than one power supply unit. The system with sensor must be autonomous from the system with remote controlled electrical socket.

system type with sensors or remote control

partition in wood,
frame or glass


system with sensor or remote control + channel



system with sensor or remote control (not for use with glass backs)

suggested for wardrobes with doors and bars positioned only on the top piece

partition in wood,
frame or glass




Molteni & C

44—
71

* each power supply unit can power a max. of 100W or
max 6 sensors
max 6 channels

power supply unit *	●	●
connector (2 power supply units max.)	●	●
wire strips on lateral pieces (1 per compartment)	●	
sensor (1 per compartment) (optional)	●	●
radio remote control (1 per power supply unit) (optional)	●	●

**DALI kit
(for DOMOTICA)**
n. 1 for each power supply unit
cannot be used with
radio remote control



EKDA1

DATASHEET

REGISTERED
DESIGN

2026

SMART INTERNAL FITTINGS

Clothes rails

For use only with wood shelves.
Black finish.
Supplementary cost for cut in width.

Drawer units

Floor-standing or wall-mounted drawer units with drawers H 190 mm equipped with handles in black finish.
2, 3, and 4 drawer versions cannot be modified.
The drawer units are not stackable. In the event that requirements are different, use standard modular drawer units.
The width of the drawer units can be reduced for a surcharge:

Clothes rails

Molteni & C

W 298	W 380	W 462	W 626	corner external	W 790	W 954	W 1282	PPA/06
PP/03	PP/02	PP/04	PP/06	PPB/06	PP/08	PP/09	PP/13	


45—

71

Clothes rails


Clothes rails for D 435

To mount on wooden shelves or top only with hinged door
1 piece on compartment W 626 / 790
2 pieces on compartment W 954 / 1282



PPQ/04

Clothes rails for open corner element



Drawer units floor standing or suspended

H 420

2 wooden drawers H 190



W 462 CNT4/04PB W 626 CNT6/04PB W 790 CNT8/04PB W 954 CNT9/04PB W 1282 CNT13/04PB

Drawer units floor standing or suspended

H 612

3 wooden drawers H 190




W 462 CNT4/06PA W 626 CNT6/06PA W 790 CNT8/06PA W 954 CNT9/06PA W 1282 CNT13/06PA

Drawer units floor standing or suspended

H 804


4 wooden drawers H 190



W 462 CNT4/08PA W 626 CNT6/08PA W 790 CNT8/08PA W 954 CNT9/08PA W 1282 CNT13/08PA

Clothes rail for corner element with doors

"Smart" handle



DATASHEET

REGISTERED
DESIGN

2026

SMART INTERNAL FITTINGS

Vertical Internal LED Lighting

The vertical illumination can only be used on central or lateral wooden side panels. Cannot be used with GLASS, SISTEMA 7 and LINEAR doors. Horizontal and vertical LEDs cannot be used in the same composition. LED bars can be reduced without a supplementary charge.

In the case of hinged doors with a lighting system, a minimum space measuring 3,5 cm in height is required. The height can be reduced to 15 mm by inspection on top cod. PAISPC01.

Only 220V - Certifications CE

2700° K

Vertical LED bars


H 2343
16 watt

H 2439
17 watt

H 2631
18 watt

H 2919
20 watt

Side section
with position



EVBA23


EVBA24

EVBA26

EVBA29

Specific components
for systems
with vertical LEDs

Power supply units
50 watt, 75 watt, 100 watt



EVAL050



EVAL075



EVAL100

Sensor



EVSE1

Connector
(1 for power
supply unit)




EVC01

Remote control
with dimmer
1 per power supply unit



EVRA1

Diagram of LED lighting system



Components

- LED bar, 1 or 2 per compartment
- power supply unit, 1 or 2 per wardrobe depending on total wattage
- connector, 1 per power supply unit
- optional remote control, in the absence of a controlled socket
- optional sensor, in the absence of a controlled socket

Molteni & C

46—

71

DATASHEET

REGISTERED
DESIGN

2026


INTERNAL ACCESSORIES

Aircub is an air purifier and aroma diffuser that eliminates up to 95% of the harmful agents inside wardrobes through a process of ionisation and ozonation. Aircub can be installed on the back panel of each compartment. Just plug it into the electrical socket and turn it on. Every Aircub has a single plug. Up to 3 Aircubs per wardrobe can be installed using the specific multi-socket connector.

Information about Aircub is available on the website <https://www.puricraft.com>
Not available for USA market.

Molteni & C

Aircub - air purifier
W 270 D 28 H 120
W 10 5/8" D 1 1/8" H 4 3/4"
(cable length 3m)



product advdoorges



- improves air quality
- reduces bacteria that cause foul odours
- prevents mould and mites from forming
- dispenses fragrance
- does not have filters that require maintenance or changes
- includes n.1 fragrance pod

Scented wafers can be ordered online:
<https://www.puricraft.com>

47—

71

multi-socket connector
cable length 3m
W 250 D 60 H 40
W 9 7/8" D 2 3/8" H 1 5/8"



For correct function it is advisable
to position the Aircub at the centre
of the compartment

DATASHEET

REGISTERED
DESIGN


2026

INTERNAL FITTINGS


Molteni & C

48—
71

Internal fittings
with wooden sides



Internal fittings
with frame or glass sides



1 Shelf th 30 mm
(wood, glass, Eco Skin)

2 Clothes rail

3 Modular drawer unit
only for wooden sides
and backs

4 Trouser holder

5 Central divider piece
th mm 30 only for compart.
with wooden sides and backs

6 Swivel pull-out
mirror only for compart.
with wooden sides
and backs

7 Sweater and shirt holder module
only for wooden sides and
back panels

8A Inclined shoe rack shelf
only for wooden sides and backs



8B Horizontal shoe rack shelf
only for frame sides, glass sides
or glass back

9 Pull-out shirt holder
only for wooden sides
and backs

10 Floor standing drawer unit only for compart.
with frame or glass sides

11 Suspended drawer unit only for compart.
with frame or glass sides

Section of internal fittings



DATASHEET

REGISTERED
DESIGN

2026

SOFT LINE INTERNAL FITTINGS

- The SOFT LINE equipment can be used in units with frame, glass and wooden side panels and with all types of backs.
- In case of application on the glass/frame side panels, the special metal profiles PST/PSV must be used. These are not included in the price of the trays.
- The pull-out frames of the SOFT LINE equipment cannot be combined with modular drawer units.
- **No reductions of any kind are possible.**


Notes

The SOFT LINE equipment should not be used:

- in corner units
- in units close to corner elements in wardrobes with doors
- in units closed by overlapping sliding doors.

Molteni & C

49—
71




1 Pull-out frame with Eco Skin bottom / with Eco Skin bottom and internal grid

2 Pull-out frame with Eco Skin sack

3 Trouser holder pull-out frame

The positioning of the pull-out frames is always at 96 mm intervals (see example)



DATASHEET

REGISTERED
DESIGN

2026

SOFT LINE INTERNAL FITTINGS

Finishes of pull-out frame, internal grid and trouser holder bars
bronze
pewter colour
iris


Finishes of bottoms and Eco Skin sack
grey
mink
hemp
ivory
dark brown
earth
arctic
taupe

Molteni & C


50—

71


Pull-out frame with Eco Skin bottom




Pull-out frame with Eco Skin bottom and internal grid




Internal aluminium grid th 5 mm



Trouser holder pull-out frame



Pull-out frame with Eco Skin sack



DATASHEET

REGISTERED
DESIGN

2026

INTERNAL FITTINGS

wood shelves - top shelves (only D 538)

D 538 th 30
D 378 th 30


W 298	W 380	W 462	W 626	W 790	W 954	W 1282	559x559
RI/3	RI/2	RI/4	RI/6	RI/8	RI/9	RI/13	RIB/6

shelf for external corner unit

th 30

shelf for open corner element

th 30



1081x1081
RIA/11

1262x1262
RIA/13

glass shelves can be fitted with front LED light bars and comply with the wiring standards specified on pages 140/141 price list

transparent glass shelves

D 538 th 30
D 378 th 30

W 380	W 462	W 626	W 790	W 954	W 1282	559x559
RV/2	RV/4	RV/6	RV/8	RV/9	RV/13	RVB/6

shelf for external corner unit

th 30

shelf for open corner element

th 30

Eco Skin shelves can be fitted with front LED light bars and comply with the wiring standards specified on pages 140/141 price list

Eco Skin shelves - shelves with Eco Skin cover (only D 538)


D 538 th 30
D 378 th 30

When ordering, specify the finish Eco Skin and profile

W 298	W 380	W 462	W 626	W 790	W 954	W 1282	559x559
RE/3	RE/2	RE/4	RE/6	RE/8	RE/9	RE/13	REB/6

Eco Skin shelf for open corner element

th 30



1081x1081
REA/11

1262x1262
REA/13

terminal element shelf

W 462 D 365/533 th 30

corner shelf

W 622 D 622 th 30

metal profile

for shelves beside the corner but not adjacent to shelves RIA/6




PSA

mandatory to cover drawer units W 1282 with single drawer

reinforced shelves


D 538 th 30



reinforced Eco Skin shelves

pewter colour, bronze or iris front profile


D 538 th 30



Shoe rack shelves

Shoe rack shelves can be used with wood sides and with frame or glass sides. When inserted between wood sides, this part will always be inclined (example 1). When there are frame or glass sides, this part will always be horizontal (example 2).

example 1




shoe rack shelves


D 538 th 30

W 462	W 626	W 790	W 954	W 1282
RSP/4	RSP/6	RSP/8	RSP/9	RSP/13

example 2



example 1



shoe rack shelves

D 368 th 30

W 462	W 626	W 790	W 954	W 1282
RQP/4	RQP/6	RQP/8	RQP/9	RQP/13

INTERNAL FITTINGS

clothes rails


W 298	W 380	W 462	W 626	for external corner unit	W 790	W 954	W 1282
PO/3	PO/2	PO/4	PO/6	POB/6	PO/8	PO/9	PO/13

clothes rail for corner compartment with doors

POA/6


clothes rail for D 435 to mount on wood shelves or top only with hinged doors

nr. 1 piece on compartment W 626/790
nr. 2 pieces on compartment W 954/1282



POQ/4

clothes rails for open corner compartment

	
W 543	W 1081
W 723	W 1262
POA/5	POA/11
POA/7	POA/13

pull-out coat hanger rail for melamine shelf (without profile) th 30


OP7

hanger W 450 beech stained grey (package of 10 pieces)



OP10

hanger with clips W 450 beech stained grey (package of 3 pieces)



OP11


Maximum load-bearing capacity
10 kg

pull-down hanger H mm 1040 for compart. W 626

for compart. W 790

for compart. W 954


for compart. W 1282




SER/6



SER/8




SER/9




SER/13

When ordering, specify
the finish of the front profile:
pewter colour, bronze or iris
D 538 th 30


floor standing central divider pieces D 538 th 30



SDT/04




SDT/05




SDT/07




SDT/09




SDT/11



SDT/13



SDT/15



SDT/17



1734
1542
1350
1158
966
774
582
390

Glass shoe rack shelves
Shoe rack shelves in glass can be used only with wood sides.

Notes

No reductions of any kind are possible.

glass shoe rack shelves D 520 th 30



RSW/8 RSW/9



RSW/13

DATASHEET

REGISTERED
DESIGN

2026

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

GLASS LID FOR CHEST OF DRAWERS

To be used only in compartments with wooden sides

Modular chests of drawers can be made with a transparent glass lid in the module widths 790/954/1282.

It is mandatory that the first drawer be H 190 in wood (special measure).
The top can be fitted with a LED lighting bar, but it cannot be connected to the cable holder.
The connection to the power cord has to pass behind the back panel.
Grey Eco Skin bottoms and saffiano grey melamine dividers can be inserted into the 1st drawer.

Lid profiles
bronze
pewter colour
iris

Molteni & C



W 790
CSV/08


W 954
CSV/09

W 1282
CSV/13

53—


71

Example of use




dividers for 1st drawer with glass cover H 190


also usable with
Eco Skin bottom



for drawer W 716
CEDI8V



for drawer W 880
CEDI9V



for drawer W 1208
CEDI13V

Eco Skin bottoms for drawers

D 473 for 1st drawer with glass cover



W 664
CEQ/F8V

W 828
CEQ/F9V

W 1156
CEQ/F13V

DATASHEET

REGISTERED
DESIGN

2026

INTERNAL FITTINGS

Internal fittings - sweater and shirt holder module, watch charger and cloth boxes

Fixed elements to be used resting on shelves or chests of drawers.

In the compartments indicated with ■ it is possible to insert the Swisskubik Masterbox automatic watch winding devices (rotors).


sweater and shirt holder module

W 625 D 378 H 354

W 789 D 378 H 354



I BG06/03/1




I BG08/03/1


sweater and shirt holder module

W 953 D 378 H 354

W 1281 D 378 H 354



I BG09/03/1



I BG013/03/1

watch winder Masterbox of Swisskubik

W 100 D 100 H 100



BGC01

canvas-covered boxes with Molteni logo

W 500 D 400 H 150
(package of 2 pieces)

W 500 D 400 H 300
(package of 2 pieces)



CES1



CES2

Molteni & C

54—

71

DATASHEET

REGISTERED
DESIGN


2026

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

INTERNAL FITTINGS

Procedure for using the swivel pull-out mirror



Molteni & C




55—

71

mirror
applied to inside of
hinged door
W 315 H 1600 th 4



swivel pull-out mirror
to be applied onto the side,
partition or central divider pieces
D 555 H 1443 th 90



DATASHEET

REGISTERED
DESIGN

2026

CAVE handle

Internal fittings - modular drawers and trays

Notes

The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways. To correctly and quickly determine the internal fittings, some of the possible compositions are in the following pages.

When ordering, specify the handle finish as pewter colour, bronze or iris.

For the CAVE handle covered in Eco Skin, add a supplementary charge each

No reductions of any kind can be made on drawers, trays and pairs of side panels.

Molteni & C

56—
71




Items available

Wooden drawers


Open drawers only lower handle

Handle finishes:
pewter colour
bronze
iris

Upper handle



Lower handle



416 - 580 - 716 - 880 - 1208
16 3/8-22 7/8-28 1/4"-34 5/8"-47 1/2"

DATASHEET

REGISTERED
DESIGN

2026

moltenigroup.com

Warnings on using compartments adjacent to the corner element

It is impossible to use trouser or trinket trays (used individually).

Wood and open drawer finishes

Front:

- melamine structure
- piqué
- matt lacquer colours
- wood

Inside:

- saffiano grey melamine

CAVE handle

Trouser holder/laundry sack tray finishes

Front:

- melamine structure
- piqué
- matt lacquer colours
- wood
- Internal frame:
- saffiano grey melamine with trouser rods painted in textured saffiano grey

Laundry sack:
- natural ecru cotton

Trinket tray finishes

Front:

- melamine structure
- piqué
- matt lacquer colours
- wood
- Internal frame, bottom, and grid:
- saffiano grey melamine

Pull-out shelf finishes

Front:


- melamine structure
- piqué
- matt lacquer colours
- wood
- Surface and back:
- saffiano grey melamine

Molteni & C

Trouser holder only upper handle



57—

71




N.B.: usable only with suspended side panels as the bottom piece

Trinket trays (tie and belt) with internal grid only upper handle




internal tray dividers

Pull-out trays only lower handle



Tray laundry sack only upper handle



if the tray is
suspended
as a lower element
consider (●)

DATASHEET

REGISTERED
DESIGN

2026

HOLD handle

Internal fittings - modular drawers and trays

Notes

The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways. To correctly and quickly determine the internal fittings, some of the possible compositions are in the following pages.
The pairs of side panels p. 151 price list or structures p. 152 price list are necessary for inserting all the elements. Compositions must be completed with an upper shelf (p. 131 price list) or glass cover p. 137 price list.
When ordering, specify the handle finish as pewter colour, bronze or iris.

No reductions of any kind can be made on drawers, trays and pairs of side panels.

Warnings on using compartments adjacent to the corner element

It is impossible to use trouser or trinket trays (used individually).

Molteni & C

58—

71

Items available

Wooden drawers

HOLD handle
(pewter colour, bronze or iris finish)




Glass drawers


190
7 1/2"

416 - 580 - 716 - 880 - 1208

16 3/8-22 7/8"-28 1/4"-34 5/8"-47 1/2"



Open drawers



DATASHEET

REGISTERED
DESIGN

2026

HOLD handle

Trouser holder/laundry sack tray finishes

Front with pewter colour, bronze or iris profile:
 - melamine structure
 - piqué
 - matt lacquer colours
 - wood
 - fine grain
 - BLEND fabric
 Internal frame:
 - saffiano grey melamine with trouser rods
 painted in textured saffiano grey

Laundry sack:
 - natural ecru cotton

Trinket tray finishes

Front with pewter colour, bronze or iris profile:
 - melamine structure
 - piqué
 - matt lacquer colours
 - wood
 - fine grain
 - BLEND fabric
 Internal frame, bottom, and grid:
 - saffiano grey melamine

Pull-out shelves finishes

Front:
 - melamine structure
 - piqué
 - matt lacquer colours
 - wood
 Surface and back:
 - saffiano grey melamine

Molteni & C


59—

71

HOLD handle (pewter colour, bronze or iris finish)







Trouser holder




N.B.: usable only with suspended side panels
as the bottom piece

Trinket trays (tie and belt) with internal grid




internal tray dividers

Pull-out trays



Tray laundry sack



if the tray is
suspended
as a lower element
consider (●)

DATASHEET

REGISTERED
DESIGN

2026

EXAMPLES OF COMPOSITE DRAWER UNITS WITH CAVE HANDLE


Melamine faced drawers have upper and lower handles.
Trouser holder and trinket trays always have an upper handle;
pull-out trays and open drawers always have a lower handle.

Molteni & C

60—

71


Melamine drawers
H 126/190/382




Trouser holders/trinket trays/laundry sack tray



Pull-out trays



Open drawers



DATASHEET

REGISTERED
DESIGN

2026

INTERNAL FITTINGS - ACCESSORIES FOR DRAWERS

Leather trays

Handmade leather trays with Alcantara bottom.
The version for men is brown (cat. P col. D533),
The version for women is powder pink (cat. P col. D524).

Eco Skin bottoms


Made with grey coloured Eco Skin.

leather trays

men's drawers


W 206 D 430 H 58 (A)
W 206 D 215 H 58 (B)

watch holder
(A)



CEV/MA1

watch/
bracelet holder
(A)




CEV/MA2

jewellery holder
with movable
dividers
(B)



CEV/MB1

complete men's
drawer offer



CVM1

Molteni & C

61—


71

leather trays

women's drawers


W 206 D 430 H 58 (A)
W 206 D 215 H 58 (B)

watch holder
(A)



CEV/WA1

watch/
bracelet holder
(A)



CEV/WA2

jewellery holder
with movable
dividers
(B)



CEV/WB1

ring holder
(B)




CEV/WB2

earring holder
(B)



complete women's
drawer offer




CVW1

Modularity drawings for inserting trays into drawers

drawer W 416


370



1 tray (A)
or 2 trays (B)

drawer W 580


534



2 trays (A)
or 4 trays (B)

drawer W 716


670



3 trays (A)
or 6 trays (B)

drawer W 880


834



4 trays (A)
or 8 trays (B)

drawer W 1208

1162



5 trays (A)
or 10 trays (B)

Eco Skin bottoms for drawers

D 432



W 366
CEQ/F4

W 530
CEQ/F6

W 666
CEQ/F8

W 830
CEQ/F9

W 1158
CEQ/F13

DATASHEET

REGISTERED
DESIGN

2026

ISLAND WITH GLASS TOP

Island with glass top

Island finishes

silver cembran
sunrise chestnut
light chestnut
dark chestnut
matt lacquer colours in the Molteni colour range

Notes

The divider grids are specific for upper drawers.
If dividers are desired in the other drawers,
use those shown on pages 157/160 of the price list.

Molteni & C

62—
71

Handles / top profile finishes



pewter colour
bronze
iris

No reductions of any kind are possible

For the CAVE handle covered in Eco Skin, add a supplementary charge each.



island with glass top

W 1272 D 1022 H 864
W 50 1/8" D 40 1/4" H 34"



island with glass top

W 1498 D 1022 H 864
W 59" D 40 1/4" H 34"



accessories for upper drawer

partition grid

grey saffiano
W 666 D 443
W 26 1/4" D 17 1/2"

Eco Skin bottom

grey
W 664 D 443
W 26 1/8" D 17 1/2"
W 1156 D 443
W 45 1/2" D 17 1/2"



CEGD/28



CEGD/33



CEQ/F28



CEQ/F33

DATASHEET

REGISTERED
DESIGN

2026

Molteni&C

GLISS MASTER — Island and modular drawer unit

VINCENT VAN DUYSEN 2025

63—

71



The system of modular island and drawer units, born from the Gliss Master project, is designed to fully adapt to the needs of any wardrobe. Retaining the modules and internal compartments of the Gliss Master system, it offers an organization aimed at optimizing space, with finishes that match those of the wardrobes. The system features a Hold handle on the drawer fronts, enhancing its functionality and design. It is available in various configurations, with 3, 4, or 5 drawers, allowing you to choose the height that best fits the space. Designed to be the centerpiece of the wardrobe, the island offers a dual-side solution for optimal usability from both sides. The system is fully customizable in size and configuration.

DATASHEET

REGISTERED
DESIGN

2026

moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

FINISHES

Notes

- No reductions of any kind or changes to the types provided are possible.
- Islands with changes in height cannot be created.

The drawer unit must always be fixed to the wall

Molteni & C

64—
71

Finishes	melamine	matt lacquer colors	woods	pewter colour/ bronze/ iris	transparent extraclear glass	BLEND fabric	grey saffiano	Eco Skin	tatami grey melamine	black melamine
components										
external side panel and central partition	●	●	●							
wooden panel	●	●	●							
drawer front handle				●						
glass drawer front glass					●					
drawer front handle and frame				●						
fabric drawer front panel						●				
fabric drawer front handle and frame				●						
drawer internal							●			
30mm thick wooden top	●	●	●							
30mm thick top panel								●		
Eco Skin top perimeter profile				●						
internal structure base / lid									●	
internal back panel										●
plinth				●						
colours										
Melamine	YC sunrise chestnut YA silver cembran QC light chestnut QS dark chestnut QA ivory tatami QG grey tatami WW White	Matt lacquer	BC chalk white PE pearl DN dune PL platinum NE black AT anthracite SE mustard SI silica DO dolomite grey AL clay MK moka CZ light blue grey SA sand RU ruby PX pewter colour RX copper TO dove grey PR petroleum blue BG burgundy LS london sky SU stardust ML moonlight SP spice PG pine green AW almond white CP cappuccino IX iris FG forest green DB dark blue gray OY oz yellow	Woods	RC coffee oak RF graphite oak RS sunrise oak EU eucalyptus	BLEND fabric	bark brown moss green olive green vanilla malachite hay moon storm river rocks	Eco Skin	grey mink hemp ivory dark brown earth arctic taupe	

DATASHEET

REGISTERED
DESIGN

2026


GLISS
MASTER—
Island and
modular
drawer unit
VINCENT
VAN DUYSEN
2025

MODULARITY



H structure
(excluding top thickness)

Molteni & C


65—
71



Island





Drawer unit






The drawer unit must always be fixed to the wall with the anti-tilt system provided

Finishing top

Wood top th 30



Eco Skin top th 30



In compositions longer than the maximum size allowed for a single-piece top, it will be possible to create jointed tops ONLY in the melamine, matt lacquer or wood versions. The joint will always be made in correspondence with a central partition.

DATASHEET


REGISTERED
DESIGN

2026


GLISS
MASTER—
Island and
modular
drawer unit
VINCENT
VAN DUYSEN
2025

DIMENSIONS


island structures
H 642 D 1022




W 392
ICML04/06




W 556
ICML06/06



W 720
ICML08/06




W 884
ICML09/06




W 1212
ICML13/06

Molteni & C


island structures
H 834 D 1022




W 392
ICML04/08




W 556
ICML06/08



W 720
ICML08/08




W 884
ICML09/08




W 1212
ICML13/08


island structures
H 1026 D 1022




W 392
ICML04/09




W 556
ICML06/09



W 720
ICML08/09




W 884
ICML09/09




W 1212
ICML13/09


side or central panel for island
D 1022 th 30



H 642
ICSL/06



H 834
ICSL/08



H 1026
ICSL/09

DATASHEET

REGISTERED
DESIGN


2026

GLISS
MASTER—
Island and
modular
drawer unit
VINCENT
VAN DUYSEN
2025


DIMENSIONS

drawer unit structures


H 642 D 536




W 392
ICMC04/06




W 556
ICMC06/06



W 720
ICMC08/06



W 884
ICMC09/06



W 1212
ICMC13/06


Molteni & C

drawer unit structures


H 834 D 536

67—


71




W 392
ICMC04/08




W 556
ICMC06/08



W 720
ICMC08/08



W 884
ICMC09/08




W 1212
ICMC13/08

drawer unit structures


H 1026 D 536




W 392
ICMC04/09




W 556
ICMC06/09



W 720
ICMC08/09



W 884
ICMC09/09



W 1212
ICMC13/09

side or central panel for drawer unit

D 536 th 30



H 642
ICSLC/06



H 834
ICSLC/08



H 1026
ICSLC/09

DATASHEET

REGISTERED
DESIGN

2026


moltenigroup.com

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.


GLISS
MASTER—
Island and
modular
drawer unit
VINCENT
VAN DUYSEN
2025

DIMENSIONS

island tops D 1026 th 30



until
W 1276
ICT012



from W 1277
to W 1534
ICT015




from W 1535
to W 1862
ICT018


Molteni & C

68—
71

island tops D 1026 th 30



from W 1863
to W 2518
ICT025



from W 2519
to W 2776
ICT027

drawer unit tops D 540 th 30



until
W 1276
ICTOC12



from W 1277
to W 1534
ICTOC15



from W 1535
to W 1862
ICTOC18

drawer unit tops D 540 th 30



from W 1863
to W 2518
ICTOC25



from W 2519
to W 2776
ICTOC27

DATASHEET

REGISTERED
DESIGN

2026

GLISS
MASTER—
Island and
modular
drawer unit
VINCENT
VAN DUYSEN
2025

DIMENSIONS

wooden drawers D 478 H 190





usable space
W 342 D 435 H 106

usable space
W 506 D 435 H 106

usable space
W 670 D 435 H 106

usable space
W 834 D 435 H 106

usable space
W 1162 D 435 H 106



Molteni & C

69—
71

glass drawers D 478 H 190





usable space
W 342 D 435 H 106

usable space
W 506 D 435 H 106

usable space
W 670 D 435 H 106


usable space
W 834 D 435 H 106

usable space
W 1162 D 435 H 106



drawers dividers H 126/190

also usable with
Eco Skin bottom



DATASHEET

REGISTERED
DESIGN

2026

GLISS
MASTER—
Island and
modular
drawer unit
VINCENT
VAN DUYSEN
2025

DIMENSIONS


leather trays

men's drawers

W 206 D 430 H 58 (A)


W 206 D 215 H 58 (B)

watch holder
(A)



CEV/MA1

watch/
bracelet holder
(A)




CEV/MA2

jewellery holder
with movable
dividers
(B)



CEV/MB1

complete men's
drawer offer



CVM1

Molteni & C

70—

71


leather trays

women's drawers

W 206 D 430 H 58 (A)


W 206 D 215 H 58 (B)

watch holder
(A)



CEV/WA1

watch/
bracelet holder
(A)



CEV/WA2

jewellery holder
with movable
dividers
(B)



CEV/WB1

ring holder
(B)




CEV/WB2

earring holder
(B)



CEV/WB3

complete women's
drawer offer



CVW1

Modularity drawings for inserting trays into drawers

drawer W 388




1 tray (A)
or 2 trays (B)

drawer W 552




2 trays (A)
or 4 trays (B)

drawer W 716




3 trays (A)
or 6 trays (B)

drawer W 880



4 trays (A)
or 8 trays (B)

drawer W 1208



5 trays (A)
or 10 trays (B)

Eco Skin bottoms for drawers

D 432/473 special for 1st drawer with glass lid



W 338
CEQ/F4

W 502
CEQ/F6

W 666
CEQ/F8

W 830
CEQ/F9

W 1158
CEQ/F13

DATASHEET

REGISTERED
DESIGN

2026

DIMENSIONS

Locking system for drawers

The drawers of the modular islands and drawer units can be equipped with a multiple locking system. All the drawers can be closed using a single lock with key applied to the first drawer at the top. This system can be applied to all drawer widths.

The multiple locking occurs thanks to the operation, via the lock, of a bar with pins embedded in the side panel.

Notes


The key is always in nickel finish.

closure system

Molteni & C

71—

71



DATASHEET

REGISTERED
DESIGN

2026